

Amendments to the Claims:

Please cancel Claims 2, 3, 5, 7, 8, and 13 through 24 without prejudice to or disclaimer of the subject matter recited therein.

Please amend Claims 1, 4, 6, and 9 through 12; and enter Claims 25 through 36 to read, as follows.

- Sub C1
B
1. (**Currently Amended**) A toner supply container detachably mountable to an image forming apparatus, said toner supply container comprising:
a container body for containing toner, said container body being provided with an opening for permitting discharge of the toner therefrom; and
a feeding member, provided in said container body, for feeding the toner toward the opening,
wherein said toner feeding member includes a rotatable plate-like member, which extends in a longitudinal direction of said container body, said plate-like member being provided with a projection extending so as to be inclined with respect to a rotational axis thereof to guide the toner on said plate-like member toward the opening with rotation of said plate-like member, and a through-hole for allowing the toner on said plate-like member to fall, thus stirring the toner with rotation of said plate-like member
a main body for accommodating toner; an opening for permitting discharge of the toner from the main body;
a rotatable feeding member, provided in the main body, for feeding the toner by rotation thereof;
- B

wherein the feeding member including a lift portion for lifting the toner in the main body, a guiding portion for guiding the toner lifted by the collecting portion downwardly toward the opening, and a falling portion for letting the toner lifted by the lifting portion fall without feeding it toward the opening with rotation of the feeding member.

2. (Canceled)

3. (Canceled)

²
4. (Draft-Currently Amended) A toner supply container according to Claim 1 2;
3, wherein a plurality of such projections are provided at longitudinally different positions
on one side of said plate-like member ~~the~~ the guiding portion includes a plurality of
projected portions inclined with respect to a rotation axis toward the opening.

5. (Canceled)

³
6. (Currently Amended) A toner supply container according to Claim 1 [[2]],
wherein a plurality of such projections are provided at longitudinally different positions on
both sides of said plate-like member ~~the~~ lift portion and the falling portions on each side of
the plate member.

7. (Canceled)

8. (Canceled)

Sub
Cst
ant

9.⁴ (Currently Amended) A toner supply container according to Claim ³ 8³ [[8]], wherein said projections are provided on both sides of said plate-like member so as to effect toner discharging action twice for one full rotation of said plate-like member the feeding member is capable of feeding the toner toward the opening by its rotation in one rotational direction.

10.⁵ (Currently Amended) A toner supply container according to Claim ² 4² [[9]], wherein one of said plurality of projections is close to or contiguous with the opening the projected portions continuing to at one side of the plate member.

11.⁶ (Currently Amended) A toner supply container according to Claim any one of Claims ^{2 3 4} 4, 6, and 9⁴ [[1]], wherein said the feeding member rotates integrally with said container the main body.

12.⁷ (Currently Amended) A toner supply container according to Claim ⁶ 11⁶, wherein the said container main body is substantially cylindrical.

Claims 13 through 24. (Canceled)

⁸
~~25.~~ (New) A toner supply container according to Claim ⁷~~12~~, wherein said plate-like member is disposed so as to be in contact with or in proximity with an inside surface of said container body.

⁹
~~26.~~ (New) A toner supply container according to Claim ⁷~~12~~, wherein said plate-like member extends substantially along a length of said container body.

¹⁰
~~27.~~ (New) A toner supply container according to Claim ⁷~~12~~, wherein said plate-like member diametrically divides an inside of said container body into two substantially equal parts.

¹¹
~~28.~~ (New) A toner supply container according to Claim 1, wherein a plurality of such projections are provided so as to be partly overlapped with respect to the longitudinal direction of said plate-like member.

¹²
~~29.~~ (New) A toner supply container according to any one of Claims ^{2 3 4}~~4, 6, 8~~, and ¹¹~~28~~, wherein the through-hole is disposed between adjacent ones of said projections.

¹³
~~30.~~ (New) A toner supply container according to either Claim ^{2 3}~~4~~ or ³~~6~~, further comprising a hollow projection projecting from one longitudinal end surface of said container body having an opening at a free end thereof, wherein one of said plurality of projections is close to or contiguous with said hollow projection.

Sub
C1
unit

31.¹⁴ (New) A toner supply container detachably mountable to an image forming apparatus, said toner supply container comprising:

a container body for containing toner, said container body being provided with an opening for permitting discharge of the toner therefrom; and

a feeding member, provided in said container body for rotation integrally with said container body, for feeding the toner toward the opening,

wherein said toner feeding member includes a rotatable plate-like member, which extends in a longitudinal direction of said container body, said plate-like member being provided with a plurality of projections, which extends so as to be inclined with respect to a rotational axis thereof to guide the toner on said plate-like member toward the opening with rotation of said plate-like member.

Sub
D2
(Conts)

32.¹⁵ (New) A toner supply container according to Claim 31.¹⁴, wherein one of said plurality of projections is close to or contiguous with the opening.

33.¹⁶ (New) A toner supply container according to Claim 31.¹⁴, wherein a through-hole, provided between adjacent ones of said plurality of projections, for allowing the toner on said plate-like member to fall, thus stirring the toner with rotation thereof.

34.¹⁷ (New) A toner supply container according to Claim 31.¹⁴, wherein said plurality of projections are provided on both sides of said plate-like member so as to effect a toner discharging action twice for one full rotation of said plate-like member.

¹⁸
35. (New) A toner supply container according to Claim ¹⁴31, wherein said plate-like member diametrically divides an inside of said container body into substantially two, equal parts.

¹⁹
36. (New) A toner supply container according to Claim ¹⁴31, further comprising a hollow projection projecting from one longitudinal end surface of said container body having an opening at a free end thereof, wherein one of said plurality of projections is close to or contiguous with said hollow projection.~

Sub
B2
(cont.)
Sub
C1
cont

B